

**THE NUCLEAR MEDICINE TECHNOLOGY
CERTIFICATION BOARD, INC.**

NMTCB(CT)

**ANNUAL
EXAMINATION
REPORT
2014**



**NMTCB
3558 HABERSHAM AT NORTHLAKE
BUILDING I
TUCKER, GA 30084
404-315-1739 / FAX: 404-315-6502
board@nmtcb.org
www.nmtcb.org**

©2014, The Nuclear Medicine Technology Certification Board, Inc. All Rights Reserved. This publication is protected by copyright. No part of it may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior express written permission of the Nuclear Medicine Technology Certification Board, Inc.

NMTCB(CT) 2014 Statistics

All Examinee Attempts:

| | | |
|--------------------|-----|--------|
| Total Number: | 117 | |
| Total Number Pass: | 102 | 87.18% |
| Total Number Fail: | 15 | 12.92% |

Summary Statistics:

| | |
|--------------------|-------|
| Range of Scores | 64-92 |
| Average Score | 80.49 |
| Standard Deviation | 4.78 |
| Median Score | 81 |

Introduction

The NMTCB(CT) credential is designed to establish the competency of individuals who are qualified to perform in the role of a computed tomography technologist. The first NMTCB(CT) examination was offered November 15, 2014. This summary report is intended to provide information about the 2014 NMTCB(CT) certification examination.

Scaled Score Information:

Examination results are reported in terms of the scaled score, the mean scaled score, median scaled score, and a measure of the variability of the scaled score distribution -- the standard deviation.

The main objective is to obtain a pass/fail decision with a high degree of precision. However, it was recognized that there are occasions when there is a need to know whether an examinee's performance is close to the passing score or a distance from it. The scaled score is a transformation of the IRT value that is calculated based on the examinee's responses to the items presented during the examination. The scaled passing score was set to 75 on scale range of 0-99. That is, the ability estimate obtained from IRT required to pass the examination was "anchored" at 75. It is very important to note that the scaled score value is not a percentage value.

Content Outline:

The examination content percentages are:

- Domain I: System Operations & Instrumentation – 20%
- Domain II: Data Acquisition & Post Processing – 10%
- Domain III: CT Image Quality & Quality Assurance – 15%
- Domain IV: Patient Handling & Radiation Safety – 15%
- Domain V: Medications & Contrast Agents – 10%
- Domain VI: Procedures & Anatomy – 30%

Overall Examinee Performance:

Please refer to Table 1 for a general overview of the examination. This table presents the number of examinees who took the test, their average scaled score, the median scaled score, and the overall pass rate percentage beginning in 2014.

Table 1. 2014 NMTCB(CT) Examinees

| | Number of Examinees | Mean Scaled Score | Median Scaled Score | Overall Pass Rate |
|------|----------------------------|--------------------------|----------------------------|--------------------------|
| 2014 | 117 | 80.49 | 81 | 87.18% |

NMTCB

3558 HABERSHAM AT NORTHLAKE
BUILDING I
TUCKER, GA 30084

(404) 315-1739
Fax: (404) 315-6502

board@nmtcb.org
www.nmtcb.org